



# 2015-Q4 International Price List

## PRIMA 10



**NEW for Q4 2015 – new design, 10kg working bowl, 2-piece enrober.**

**PRIMA delivers** the benefits of FBM's continuous tempering technology to demanding confectioners and chocolatiers who need an enrobing attachment but who work in very small batches and whose production is measured in hundreds of kilos per week, not per day.

*Prima is the smallest continuous tempering machine on the market that accepts an enrobing attachment.*

The continuous tempering cycle in **Prima** is controlled by a custom-programmed dedicated CPU that monitors and adjusts heating and cooling automatically within a very narrow range based on the set melting and tempering points. The working bowl is heated by thermoelectric induction and the tempering pipe is cooled directly by the refrigerant gas, delivering fast response times, precise control, and reduced energy consumption.

*3000W step-up transformer required for 120VAC operation (not included).*

The auger in the **Prima's** tempering pipe can be reversed to empty it, reducing the amount of time required to restart the tempering cycle or to change chocolate. A removable auger for cleaning is a standard feature, as is a pedal-operated electronic depositor with user-selectable time and repetitions (up to 9) for filling molds and other uses.

### Key Standard Features

- Removable vibrating table
- Night cycle
- Removable/reversible tempering auger
- Pedal-operated electronic depositor with user-selectable time and repetitions

### Optional Enrobing Attachment Features

- Overall length: 1.356 mm
- Two pieces in 3 sections; stainless steel entrance and enrobing sections, removable food-contact-safe take-off belt
- Usable width 180mm
- Equipped with net beater/shaker, independent motor for de-tailer, adjustable air blower

### Key Specifications

- Capacity (bowl): 10kg (~22 pounds)
- Throughput: 3–5x bowl capacity per hour, depending on the type of work being done
- Dimensions: 380(w) x 400(d) x 1200 (overall height); working plane @ 860mm
- Weight: ~90kg (~200 lbs)
- Installed power: 1300 watts (1400 w/enrober) @ 220V three-phase

### Pricing

CAT#. 16787	PRIMA — 220V 3-phase 60 Hz .....	€7,300
CAT#. 15475	<b>Single phase 220V 60Hz</b> .....	<b>€7,950</b>
CAT#. 13375	Enrobing attachment (two-piece; separate removable exit section) .....	€4,750
Palletizing	Required for shipment .....	+ €80